

DEAN FERRIS - THREE TIME AUSTRALIAN MX NATIONAL CHAMPION 2016, 2017 & 2018



YAMALUBE®

MOTORCYCLE

**LUBRICANTS
CARE & MAINTENANCE**



MOTORCYCLE

RS4GP 10W40 Full Synthetic

High performance motor oil, developed for 4-stroke racing bikes using the same technology as in the Yamaha Factory Racing MotoGP oil. Suitable for both road and off-road racing this oil provides the best performance and protection under normal and extreme conditions. Provides ultimate performance in gearshift feeling, acceleration and throttle response while giving gearbox, clutch and engine protection.



YMD-65051-01-01 (1L)

YMD-65051-04-01 (4L)

YMD-65011-60-01 (60L)

Y4-FS 10W40 Full Synthetic

Features and benefits include very high film strength to protect the engine and gearbox. It provides easier and faster gear changing, and is ideal for oil immersed clutches. Its fully synthetic blend allows for high performance and meets JASO MA standards. Y4-FS is compatible with catalytic converters, it has good detergency and dispersion, anti-oxidizing, anti-corrosion and anti-foaming properties.



YMD-65011-01-03 (1L)

YMD-65011-04-04 (4L)

YMD-65011-60-01 (60L)

YMD-65011-20-81 (208L)

Y4-R 15W50 Full Synthetic Racing

This is our best performance oil for 4-stroke motorcycles & ATV. It's blended with ester-fortified synthetic base oils to provide the best protection for your Yamaha. Features and benefits include; reduced vibration, smooth shifting, super clean, the additives don't leave any residues or ash, no clutch slippage, catalyst and gear protection, anti-oxidation, anti-corrosion, anti-foam. Exceeds JASO MA standards, highly recommended for racing activities. Suitable for All 4-stroke motorcycles and ATVs.



YMD-65041-01-02 (1L)

YMD-65041-04-02 (4L)

YMD-65041-60-01 (60L)

Y4-FS 15W50 Full Synthetic

Features and benefits include excellent film strength, easier and faster gear changing which is ideal for oil immersed clutches. Its fully synthetic blend allows for high performance and meets JASO MA standards. It reaches grade 50 at hot temperatures, specially suitable for big bore engines and twins. This oil is compatible with catalytic converters and has good detergency and dispersion, anti-oxidizing, anti-corrosion and anti-foaming properties.



YMD-65012-01-03 (1L)

YMD-65012-04-02 (4L)

YMD-65012-60-01 (60L)

YMD-65012-20-81 (208L)

4-STROKE OILS



Y4-S 10W40 Semi-Synthetic

This oil provides enhanced engine protection with easy gear shifting that improves your gear's life time. It is ideal for oil immersed clutches, compatible with catalytic converters, good detergency and dispersion, anti-oxidizing, anti-corrosion and anti-foaming properties. Meets JASO MA standards.

YMD-65021-01-03 (1L)
YMD-65021-04-03 (4L)
YMD-65021-60-01 (60L)
YMD-65021-20-81 (208L)



Y4-S 20W50 Semi-Synthetic

This oil provides enhanced engine protection and improves your gear's life time. It reaches grade 50 at hot temperatures, specially suitable for big bore engines and twins, ideal for oil immersed clutches, compatible with catalytic converters, good detergency and dispersion, anti-oxidizing, anti-corrosion and anti-foaming properties. Meets JASO MA standards.

YMD-65022-01-03 (1L)
YMD-65022-04-03 (4L)
YMD-65022-60-01 (60L)



Y4-M 10W50 Mineral

Mineral engine oil, suitable for any 4-stroke engine used in normal conditions. Delivering the optimum mix of high performance and value, this oil is recommended for wet clutches. The synthetic base stocks provide outstanding lubricating properties and strong oil film that decrease friction and wear and increase engine lifetime. Ideal for high mileage and big-bore engines.

YMD-65031-01-03 (1L)
YMD-65031-04-03 (4L)
YMD-65031-20-81 (208L)



Y4 15W50 Mineral

Formula meets or exceeds performance requirements of API SJ and JASO MA standards; non friction modified containing performance additives that fight corrosion, varnish and wear. The special formulas that make up Yamalube 4 provide low friction, high performance and longer engine life.

90793-AS410-BT (1L)
90793-AS411-BT (4L)
90793-AS412 (20L)
90793-AS413 (209L)

MOTORCYCLE

Yamaha YZ / WR Oil Change Kits

Yamalube have put together a convenient kit, available in both Semi-Synthetic and Full Synthetic engine oils, with a choice of three oil viscosity's to suit your riding conditions, to help make your visit to the parts counter at your Yamaha Dealer as simple as possible. Each kit contains 2 litres of Yamalube Oil (in a choice of viscosity) and all the genuine Yamaha parts required to complete an oil and filter change to ensure you don't end up with any oil leaks out on the trails.



KIT CONTENTS:

- 2 x Bottles 1L engine oil (*See kit part numbers for oil types)
- 1 x 5D3-13440-09 Oil filter
- 1 x 93210-47675 O-ring, filter cover
- 3 x 93210-07135 O-rings, filter cover
- 1 x 93210-45708 O-ring, filter cover (10-11 YZ450F)
- 1 x 90201-082A6 Oil tank drain bolt washer (250F only)
- 1 x 90430-10171 Drain bolt gasket R/H
- 2 x 90201-08087 Drain bolt gasket L/H (450F only, 2 x 10-11 YZ450F)
- 1 x Oil change instruction sheet.

FITMENT:

2003 - 2014 All YZF and WRF models
2008 - 2010 WR250R and X models

KIT PART NUMBERS:

YLU-S2050-10-01 (Y4-S 20W50 Semi-Synthetic)
YLU-S1040-10-01 (Y4-S 10W40 Semi-Synthetic)
YLU-F1040-10-01 (Y4-FS 10W40 Full Synthetic)
YLU-F1550-10-01 (Y4-FS 15W50 Full Synthetic)
YLU-S1040-20-01 (only fits 10-14 YZ450F, 2014 YZ250F)

RS4GP Oil Change Kit

A convenient kit comprised of the racing inspired RS4GP 10W40 oil and required genuine Yamaha parts to complete an oil and filter change to ensure you don't end up with any oil leaks out on the trails.

KIT CONTENTS:

- 1 x Bottle 1L RS4GP engine oil
- 1 x 5D3-13440-09 Oil filter
- 1 x 93210-45708 O-ring, filter cover
- 1 x 93210-12010 O-ring, oil strainer
- 1 x 90430-10171 Drain bolt gasket R/H
- 1 x Oil change instruction sheet.



FITMENT:

2014 - 2018 YZ250F and YZ450F
2015 - 2018 YZ250FX and WR250F
2016 - 2018 WR450F

KIT PART NUMBER:

YLU-F1040-RS-GP

OIL CHANGE KITS



ATV/SSV Oil Change Kit

Yamalube have put together a convenient kit containing Oil and all the genuine spare parts needed to complete and oil and filter change on your ATV or SSV.

KIT CONTENTS:

- 3 x Bottle 1L engine oil (90793-AS410-BT, 4 cycle 15W50 Mineral)
- 1 x 5GH-13440-50 Oil filter
- 1 x 90201-12172 Drain bolt gasket
- 1 x 93210-347A1 Drain bolt gasket
- 1 x 214-11198-01 Drain bolt gasket
- 1 x Oil change instruction sheet.

FITMENT:

2007-2011 YFM350A, 2007-2014 YFM350FA, 2011-2014 YFM450FA/P, 2011-2014 YFM550FAP, 2007-2008 YFM600, 2007-2014 YFM700FA/P, 2007-2008 YXR660, 2007-2013 YXR700, 2014 YXM700 (VIKING)

YLU-M1550-10-01



Road Bike Oil Change Kit

Yamalube have put together a convenient kit containing oil and all the genuine spare parts needed to complete an oil and filter change.

KIT CONTENTS:

- 1 x Bottle 4L engine oil (YMD-65021-04-02, Y4S 10W40 Semi-Synthetic)
- 1 x 5GH-13440-20 Oil filter
- 1 x 214-11198-01 Sump plug washer
- 1 x Oil change instruction sheet.

FITMENT:

2006 - 2014 YZF-R1, 2006 - 2014 YZF-R6 / FZ1, 2007 - 2009 FZ6, 2010 - 2013 FZ6R, 2011 - 2013 FZ8, 2009 XJ6S, 2010 - 2014 XJ6N, 2010 - 2014 XVS1300A, 2009 - 2014 XVS950A, 2014 XVS950CU (BOLT), 2001 - 2014 FJR1300, 2014 MT-09

YLU-4S10W-40-R1



2 Stroke Service Kit

Yamalube have put together a convenient kit for your essential 2 stroke maintenance needs. The kit contains Y2-R Semi-Synthetic premix oil, gear oil, foam filter oil, off-road chain lube and fuel stabiliser. Everything you need to care for your 2 stroke in one handy carry box.

KIT CONTENTS*:

- 1 X LUB-2STRK-R1-12 1L
- 1 X ACC-TRANS-PL-US 950ml
- 1 X ACC-FOAMF-LT-ER 500ml
- 1 X ACC-SYNCH-AI-NL 385ml

YLU-2STRK-SV-KT

*Kit contents subject to change

MOTORCYCLE



Y2-R Full Synthetic Racing Oil with Ester

This is our best performance oil, especially formulated for 2-stroke off-road motorcycles & ATV. Improved and reinforced with de-emulsification properties, prevents the carburettor throttle from sticking. High lubricating properties for lower friction and wear, ensuring a longer engine life. Ester based, 100% fully synthetic means excellent lubrication abilities regardless of the weather conditions. It prevents piston rings and exhaust power valves from sticking. Highly recommended for racing activities.

YMD-65081-01-01 (946ml)



Y2-S Semi-Synthetic Injection Oil

This formula features a blend of base oil combined with special detergents, dispersants and a viscosity improver for an oil that offers low smoke, low deposits, and greater lubrication. It reduces visible smoke by 50%, that means less smoke at start-up and less smoke while you're under way. Carbon and varnish deposit build-up has been reduced by over 45%, that means longer engine life and greater performance over time. All-weather performance provides exceptional lubrication in all temperatures.

Yamalube 2-S contains a special additive to help maintain flow and prevent "gelling" in sub-freezing conditions.

LUB-2STRK-S1-12 (946ml)

LUB-2STRK-S1-04 (3.8L)



2C 20W40 Trans Oil Plus - Gear Oil

Specially developed for motorcycle, ATV and scooter engines with wet clutch transmissions that operate under severe conditions of speed, acceleration and temperature. Special anti-shear additives prevent oil breakdown while anti-wear additives protect your engine during the critical cold start period. Non-friction modified, meets API service SH/CG-4 standards.

ACC-TRANS-PL-US (950ml)



2C 10W40 Gear Oil

This special formula provides low friction, high performance and greater protection to your gearbox. It provides stable clutch performance and film strength protecting your engine from the wear and tear of daily use.

LUB-10W40-AP-12 (946ml)

2-STROKE OILS & COOLANT

Yamalube Oil Mix Ratio Hanging Card

ACC-MIXTR-HA-NG

Yamalube Oil Mix Ratio Card

ACC-MIXTR-CA-RD

YAMALUBE		2-STROKE PRE-MIX CARD						
		LITRES OF FUEL						
		5	7.5	10	12.5	15	20	25
FUEL/OIL RATIO	16:1	313	469	625	781	938	1250	1563
	20:1	250	375	500	625	750	1000	1250
	25:1	200	300	400	500	600	800	1000
	32:1	156	234	313	391	469	625	781
	33:1	152	227	303	379	455	606	758
	40:1	125	188	250	313	375	500	625
	50:1	100	150	200	250	300	400	500
	66:1	76	114	152	189	227	303	379
	80:1	63	94	125	156	188	250	313
	100:1	50	75	100	125	150	200	250



Coolant Premix

This coolant premix is a specially formulated anti-freeze, anti-boil and anti-corrosion coolant / water mixture. Pre-blended at a 50:50 ratio with special additives to increase the products performance and longevity, and is ready to use. Long Life.

90793-AZ801 (1L)

90793-AZ802 (20L)

GOLF CARS & POWER PRODUCTS



10W30 Golf Car & Generator Oil

Specially formulated mineral base oil and additive system for the rigours of a constant load and frequent start-ups as found with the normal operation of a golf car or generator.

LUB-10W30-GG-12 (946ml)



YAMALUBE®

MOTORCYCLE



Fork Oil

Specially formulated to meet Yamaha's high standards and is reinforced with additives to provide consistent suspension protection for safer and precise handling. Available in 5, 10, and 15 weight. Compatible with both conventional and upside down forks.

YMD-65049-01-23 - 5W (500ml)

YMD-65049-01-33 - 10W (500ml)

YMD-65049-01-42 - 15W (500ml)

REPLACES THE FOLLOWING PRODUCT/S:

5W Fork Oil - **ACC-FORKF-00-05 (473ml)**

7.5W Fork Oil - **ACC-FORKF-00-75 (473ml)**

10W Fork Oil - **ACC-FORKF-00-10 (473ml)**

15W Fork Oil - **ACC-FORKF-00-15 (473ml)**

20W Fork Oil - **ACC-FORKF-00-20 (473ml)**



Type 01 Suspension Oil

Synthetic front suspension oil offering excellent anti-foaming characteristics, factory recommendation for 2004 and earlier models of YZ125 / 250, YZ250F / 450F and WR250F / 450F.

90793-38044 - 2.5W (1L)



Type S1 Suspension Oil

Synthetic front suspension oil offering excellent anti-foaming characteristics, factory recommendation for 2005 and later models of YZ125 / 250, YZ250F / 450F and WR250F / 450F.

90793-38045 - 5W (1L)



Type M1 Suspension Oil

Factory recommended to suit 2006 and later models of YZF-R1SP, YZF-R6 and FJR1300 models. Direct replacement for Ohlins R&T43 Fork Oil (P/N: ACC-T43F-00).

90793-38046 (1L)



Fuel Tank Rust Remover & Neutraliser Kit

Removes and neutralises rust from inside metal fuel tanks. Save money by not having to replace a rusted fuel tank.

ACC-FUELT-CD-00 (2 x 473ml)

CARE & MAINTENANCE

Foam Air Filter Oil

A synthetic-based formula for all foam air filter elements. When used as directed, prevents dirt, fine dust and water from entering the engine through the air filter.



ACC-FOAMF-LT-ER (473ml)



YMD-65049-02-02 (1L)

Foam Air Filter Cleaner

Strong, biodegradable air filter cleaner for cleaning foam filters. Developed to improve engine performance and air filter lifecycle. Eco-friendly to use and safe for hands it can be washed out with water. For use with Air Filter Oil.



YMD-65049-02-11 (4L)

REPLACES THE FOLLOWING PRODUCT/S:

Foam Air Filter Cleaner -
ACC-FOAMF-CL-GL (3.8L)

Biodegradable Foam Air Filter Oil & Cleaner Kit

This kit contains dirt-grabbing, water resistant, super-tacky filter oil and a non-alcohol-based heavy duty concentrated, detergent specifically developed to clean foam air filters treated with this oil. Yamalube Biodegradable Foam Air Filter Oil can only be washed out with Yamalube Biodegradable Foam Air Filter Cleaner and water. It won't wash out with petrol, solvents or water alone.

ACC-BIFMF-LT-KT (2 x 473ml)



Biodegradable Foam Air Filter Oil

A dirt-grabbing, water resistant, super-tacky filter oil that can only be washed out with Yamalube Biodegradable Foam Air Filter Cleaner and water. Won't wash out with petrol, solvents or water alone.

ACC-BIFMF-LT-OL (473ml)



ATV YFM400 / 600 Auto Grease

Specially formulated for use in the Grizzly ATV automatic clutch. Special lubricants ensure proper protection from wear, rust and corrosion. Protects critical clutch components during operation.

ACC-ULTRA-GS-16 (453gm Tub)



Lical Grease

Premium multi-purpose grease which combines the advantages of both lithium and calcium, dispersed in highly refined base oils. Miscibility with almost all other conventional soap greases. Excellent mechanical stability avoiding ejection or losses of consistency even under severe operating conditions. Outstanding water resistance, no significant change has been observed, even with water contaminating the grease.

YMD-69010-0T-A3 (278gm)



MOTORCYCLE



Rear Axle Oil API 80W90 GL-5 Mineral

Formulated for final gears and drive shafts offering advanced lubricating qualities to decrease friction and wear while easily handling extreme pressure. Significantly extends the gear lifecycle.

YMD-65049-01-52 (1L)

REPLACES THE FOLLOWING PRODUCT/S:

Shaft Drive Gear Oil **ACC-SHAFT-LU-00** (950ml)
Shaft Drive Gear Oil **ACC-SHAFT-LU-05** (19L)



Brake Fluid

A high performance, 100% synthetic brake fluid which exceeds the requirements of international standards. Available in DOT 4 and DOT 5.1, which has a higher boiling point and makes the brake fluid suitable for models used under extreme conditions such as racing and very sportive riding. Mixable with DOT 3, DOT 4, DOT 5.1 Non Silicone based products.

YMD-65049-01-12 DOT 4 (500ml)

YMD-65049-01-02 DOT 5.1 (500ml)

REPLACES THE FOLLOWING PRODUCT/S:

Brake Fluid Dot 3/4 **ACC-BRAKE-FL-UD** (236ml)



Shaft Drive Oil Exclusive

Designed specifically for use in the FJR1300/1300A, '09~ newer VMAX & '10 ~ newer Tenere.

ACC-SHFTD-EX (950ml)



Tyre Mount Lube

Specifically formulated lubricant that allows you to change tyres on the rim quickly with less chance of damage. Use on any rim-mounted tyre to provide a lubricated surface that eases tyre installation while helping to protect the tyre bead from damage. Preventing damage to the tyre bead improves its sealing ability.

ACC-TIRMN-TL-UB (453gm)



Weather Protection Spray

Rust and corrosion, caused by wetness and humidity, eat away at metal parts thus reducing its value and appeal. When used regularly, Weather Protection Spray protects all metal parts of the vehicle reliably against corrosion and stops existing corrosion in its tracks. Forming a self healing and transparent protective film that closes immediately after being touched, making it better than wax.

YMD-65049-A0-51 (300ml)

REPLACES THE FOLLOWING PRODUCT/S:

Lube-Zall **ACC-LUBZA-LL** (400ml)
Yamashield **ACC-YAMSH-LD** (385ml)



Lithium Wheel Bearing Grease

High performance multipurpose lithium-based grease for wheel bearings. Featuring a very sticky grease with extreme pressure, anti-wear, anti-oxidation and anti-corrosion additives. Excellent adherence and resistance to washing out. outstanding performance and mechanical stability even in cold temperatures.

YMD-65049-01-72 (250ml)

REPLACES THE FOLLOWING PRODUCT/S:

Race Grease **ACC-RACEG-RE-AS** (472ml)

CARE & MAINTENANCE



Brake Caliper Grease

Synthetic silicone grease can be used for brake calliper lubrication, electrical insulation (dielectric), damping, and lubrication of brass components and O-rings withstands temperatures to 500 F. Use where specified in the Service Manual to use grease "S".

ACC-SLCNG-RS-00 (88ml)



Molybdenum Disulfide Grease

Extreme-pressure grease lubricates high loads, non-corrosive, water-resistant, exhibiting low-friction properties that protect against wear and galling in difficult operating conditions. Use this grease where specified in the service manual to use grease "M".

ACC-MOLDM-GS-10 (395ml Tube)



Polyurea Grease

Formulated with Deposit Control, resists oxidation and rust on components with operating temperatures between -12°C and 162°C. Designed for the high temperature and speed exhibited in mechanical bearings of the primary sheave. Use this where specified in the service manual to use Grease "H".

ACC-POLYG-RS-10 (284ml Tube)



Yamabond 4 Motorsports Liquid Gasket

This is a silicone-based liquid gasket that fills gaps on a flange surface and prevents leaks. When cured, this product forms a rubber-like body that resists heat and seals joints subjected to high temperature. Gear and engine oil resistant, Yamabond 4 Motorsports sets in 60 minutes. Not for use on copper or copper-based alloys.

ACC-BOND4-MC (88ml)



Ring Free Fuel Additive

Helps prevent ring sticking, varnish and carbon build up in your engine. This fuel additive employs the highest grade of engine cleaning technology to keep your engine running smoother and stronger. Recommended for use as a constant treatment, or as a "Shock Treatment." For 2 and 4 stroke engines.

ACC-RNGFR-PL-12 (355ml)

ACC-RNGFR-PL-32 (946ml)



Fuel Stabiliser & Conditioner

Strongly recommended for E-10 fuels, this alcohol-free formula helps prevent fuel oxidation and phase separation from moist, rich air. When used continuously, it keeps fuel fresh, potent and free from gum and varnish for up to one year of storage. Its metal filmers, provide extensive protection for steel and aluminium components.

MIX RATIO:

Operational Use - Mix at 378:1 (2.65ml per litre)

Storage Over 2 Months - Mix at 125:1 (8ml per litre)

ACC-FSTAB-PL-12 (355ml)

ACC-FSTAB-PL-32 (946ml)

MOTORCYCLE



Brake Cleaner

Powerful non-chlorinated degreasing agent for brake discs and brake systems. This exclusive formula replaces standard chlorinated based cleaners and is therefore less aggressive to some plastics and reduced in harmful vapours. Dries fast and does not leave any surface spots

YMD-65049-A0-82 (400ml)

REPLACES THE FOLLOWING PRODUCT/S:

Brake & Contact Cleaner **ACC-BRKCT-12 (384ml)**



Contact Cleaner

Non-chlorinated degreasing agent which actively removes persistent dirt, grease and grime on contacts, electric systems and spark plugs. This exclusive formula replaces standard chlorinated based cleaners and is therefore less aggressive to some plastics and reduced in harmful vapours.

YMD-65049-A0-92 (400ml)

REPLACES THE FOLLOWING PRODUCT/S:

Brake & Contact Cleaner **ACC-BRKCT-12 (384ml)**



Parts Cleaner/ Degreaser

A potent multipurpose degreaser designed to clean and degrease metals parts. Brings engine, wheel rims, sprockets and frame back to its original appearance. Effectively dissolves and removes tar stains, dirty grease, oil, fuel and grime without the need for water. Safe on most rubber, plastic and painted metal parts.

YMD-65049-A0-71 (400ml)

REPLACES THE FOLLOWING PRODUCT/S:

Engine Degreaser **ACC-ENGCL-NR (384ml)**



Carburettor/Injector Cleaner

Powerful carburettor/injector cleaner specially developed to eliminate deposits and varnish on butterfly valves, throttle chambers, nozzles, tanks, floats and venturi tubes. Reduces fuel consumption while increasing engine performance. Stabilizes the idle and improves engines accelerating.

YMD-65049-A1-02 (400ml)



Carburettor Cleaner

Use this solution as a dip for cleaning the carburettor, and its components. Removes dirt, varnish and gum.

ACC-CARBC-LE-NR (944ml)



Combustion Chamber Cleaner

Used to clean out carbon, gum and varnish from cylinder, piston and rings.

ACC-CMBSN-CL-NR (369ml)

CARE & MAINTENANCE



Chain Spray

The stress on drive chains is enormous, so every improvement in lubrication technology can have a significant effect on the life of the chain. This Chain Spray provides; excellent adhesion, longer application intervals, significantly extended chain life, it is practically impossible to throw off, and offers excellent penetration. Optimum lubricating properties from -30°C to +110°C. Comes in two sizes, a handy pocket size 75ml or 300ml aerosol can.

YMD-65049-A0-21 (75ml)

YMD-65049-A0-11 (300ml)

REPLACES THE FOLLOWING PRODUCT/S:

Synthetic Chain Lube - ACC-SYNCH-AI-NL (385ml)

Off-Road Chain Lube - ACC-CHAIN-OF-AA (385ml)

On-Road Chain Lube - ACC-CHAIN-ON-AA (385ml)



Chain Cleaner Spray

Chains are put under extreme stress. Road dust and grit can adhere to the chain lubricant to create a deadly ground in paste, considerably reducing the life of both the chain and the sprockets. Quickly and effectively removing heavy grease deposits while protecting O-rings and increasing the chains resistance to wear. Effortlessly removes thrown off chain grease from rim and swing arm.

YMD-65049-A0-32 (300ml)



Pro-Active Cleaning Gel

Developed for usage on all components to quickly and efficiently remove dirt, grime and grease. Removes the toughest contaminants actively and without residue while the acid/alkaline free formula ensures that there is no risk of damage or staining while leaving a lasting shine. Available in 1 or 25L.

YMD-65049-00-21 (1L)

YMD-65049-00-41 (25L)

YMD-65049-P0-20 - Tap for 25L

REPLACES THE FOLLOWING PRODUCT/S:

Pro Wash Spray - ACC-YAMAC-PW-SP (946ml)



Silicon Spray

Black engine parts often suffer from dulling as a result of the harsh environment to which they are exposed and especially from the effect of sun-bleaching. Restores and refreshes sun-bleached parts while protecting plastics. Optically refurbishes greyed and bleached metal parts painted or unpainted (e.g. engine block, frame, fork, engine side covers, rims etc) and rough and varnished plastic and rubber parts (e.g. side panels, inside panels, mud-guards, fixtures, carbon parts, top case, plastic case, blinkers, mirrors, etc).

YMD-65049-A0-41 (300ml)

REPLACES THE FOLLOWING PRODUCT/S:

Silicone Protectant & Lubrication Spray

ACC-SLCNS-PR-AY (400ml)



Spray Polish

Use this to quickly restore a lustrous shine to paint, chrome, glass, and smooth plastic surfaces. This product also leaves a rich satin finish on vinyl, rubber, and textured plastic. Its anti-static properties repel dust, helping to keep the surface clean much longer.

ACC-SPRAY-PL-SH (414ml)



Wash & Wax Concentrate

This is a premium, high sudsing wash-and-wax formula. Its superior cleaning and rinsing properties minimise streaking and spotting to leave a super bright, clear shine.

ACC-YAMAC-WH-WX (473ml)

MOTORCYCLE



Battery Terminal Cleaner & Protectant

This strong water-based cleaner with acid-alkali indicator removes corrosive build-up on battery terminal posts to help increase power output and helps extend battery life. Simply rinses off with water and leaves terminals coated with a protective film.

ACC-BATTC-LN-PR (385gm)



Plastic & Paint Polish

Restores a deep gloss on all smooth surfaces. Removes fine scratches, matt patches and revitalises colours. Economical, easy to handle and use, solvent free and water repellent.

YMD-65049-00-61 (220ml)

REPLACES THE FOLLOWING PRODUCT/S:

Plastic Polish **ACC-PLASP-OL-11 (236ml)**



Plastic Reconditioning Kit

Designed to help restore the shine to your fenders. Includes sandpaper, fine steel wool, and the special Plastic Renew liquid.

ABA-SCRAT-CH-KT



Helmet Fresh

Odour eliminator for helmets.

ABA-FRESH-CA-SE (118ml)



Hand Cleaner

Powers through dirt, grease, and grime to give your hands a smooth, clean feeling. Contains: Glycerin, Aloe Vera, Jojoba, Almond Oil, Soy Oil, Wheat Germ Extract and Vitamins A, C and E.

ACC-HNDCL-NR-00 (443ml)

ACC-HNDCL-NR-01 (4L)



Hand Cleaner Dispenser Unit

To suit the 4L Hand Cleaner bottle (4L bottle not included)

ACC-HNDCL-NR-DS

CARE & MAINTENANCE



Visor & Helmet Wipes

Visibility is an important factor when riding a motorcycle so a clean visor is paramount. Cleaning a visor while on the move without the right materials can lead to permanent damage to the visor that is often expensive to replace. Scratch and streak free, these wipes are the ideal solution while on the go. Suitable for clear, tinted, mirrored or anti-fog.

YMD-65049-P0-41
(Dispenser & 10 wipes)

YMD-65049-P0-31
(Individual replacement wipes)



Visor & Helmet Cleaner

The remains of countless insects find their final resting place on visor, helmet, headlight and windscreens. Not only does this reduce the optical appeal of the vehicle, it also reduces the drivers visibility and safety. Removes dirt, insects and residue safely and provides a gleaming mirror finish with no streaks or scratches.

YMD-65049-00-71 (100ml)

JAY WILSON - YAMALUBE YAMAHA RACING



PROMOTIONAL



A.



B.



C.



D.

Yamalube Decal - Motorcycle, Red / Black	YLU-BSTKR-MC-SM (49 x 114mm) YLU-BSTKR-MC-MD (65 x 170mm) YLU-BSTKR-MC-LG (250 x 700mm)	A.
Yamalube Decal - Marine, Blue / Black	YLU-BSTKR-OM-SM (49 x 114mm)	B.
Yamalube, GYTR & Yamaha Racing Decal Sheet Sticker sheet containing an assortment of 26 Yamalube, GYTR & Yamaha Racing stickers.	YRC-STKSH-00	C.
Yamalube Banner - Motorcycle, Red / Black Heavy duty vinyl with six eyelets.	YLB-BANNR-BR-VL (600 x 1400mm)	A.
Yamalube Banner - Marine, Blue / Black Heavy duty vinyl with six eyelets.	YLB-BANNR-BB-VL (600 x 1400mm)	B.
Yamalube Embroidered Patch Square Shape, "YAMALUBE" with 3 red bars.	APP-PTYAM-02 (50 x 100mm)	A.
Yamalube Aerosol Can Display Stand	LUB-AERSL-DS-PL (1800 x 560 x 480mm)	D.




JOSH GREEN
ACTIVE8 YAMAHA YAMALUBE RACE TEAM



IN MEMORY OF DAYMON STOKIE "THE KING OF THE DESERT"
2017 FINKE DESERT RACE WINNER - ACTIVE8 YAMAHA YAMALUBE

ENGINEERED BY YAMAHA,
FOR YAMAHA

YAMALUBE®



YAMAHA
GENUINE
Parts & Accessories